



Product Service

# CERTIFICATE

No. Z2 113647 0006 Rev. 01

**Holder of Certificate:** **Daxler Enerji A.S**  
Büyükkayacik OSB. 102.  
Cad. No:3/1 Selcuklu  
42160 Konya  
TÜRKIYE

**Certification Mark:**



**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704062446204-01

**Valid until:** 2031-03-04

**Date,** 2026-03-16

( Zhulin Zhang )



# CERTIFICATE

No. Z2 113647 0006 Rev. 01

## Model(s):

DXM10-156-TN-GG xxx (xxx=625 to 655, in steps of 5)  
 DXM10-144-TN-GG xxx (xxx=580 to 605, in steps of 5)  
 DXM10-132-TN-GG xxx (xxx=525 to 550, in steps of 5)  
 DXM10-120-TN-GG xxx (xxx=480 to 500, in steps of 5)  
 DXM10-108-TN-GG xxx (xxx=430 to 450, in steps of 5)  
 DXM12-132-TN-GG xxx (xxx=670 to 710, in steps of 5)  
 DXM12-120-TN-GG xxx (xxx=605 to 645, in steps of 5)  
 DXM12-108-TN-GG xxx (xxx=545 to 580, in steps of 5)  
 DXG12R-132-TN-GG xxx (xxx=605 to 650, in steps of 5)  
 DXG12R-108-TN-GG xxx (xxx=495 to 530, in steps of 5)  
 xxx stands for rated output power at STC.

## Parameters:

Construction:	Framed, with Junction box, Cable and Connectors
Test Laboratory:	Changzhou HuaYang Inspection and Testing Technology Co., Ltd. B Area on 1/F., Building 12, C Area on 4/F., and A Area on 1/F., Building 10, No.8, Lanxiang Road, West Taihu Science and Technology Industrial Park, Changzhou, Jiangsu, China
Safety Class:	Class II
Maximum System Voltage:	1500 VDC
Fire Safety Class:	Class C according to UL790

## Tested according to:

IEC 61215-1:2021  
 IEC 61215-1-1:2021  
 IEC 61215-2:2021  
 IEC 61730-1:2023  
 IEC 61730-2:2023